

19" LED HD Monitor

MW3219-V



Key Features

- High fidelity digital processing, brilliant and vivid video
- 16.7M high quality image colors
- LED backlight technology with 1366×768
- User-friendly operation menu, which is simple to operate
- Lower power consumption and long life cycle
- Support 7*24 working
- VESA stand bracket
- Support multiply language




Specifications

Model	MW3219-V
Display	
Display Type:	LED Backlight
Screen Size	18.5"
Pixel Pitch(mm)	0.3× 0.3
Max Resolution	1366×768
Brightness	200 cd/m ²
Contrast	600:1
Response Time	5ms
color	16.7M


Viewing Angle	Horizontal 90°, Vertical 65°
Interface	
VGA	1
OSD	
Multi- Language	16 (English, France, Spanish, Portuguese, German, Italian, Dutch, Swedish, Finnish, Polish, Czech, Russia, Korea, Simplified Chinese, Traditional Chinese, Japanese)
Mounting	
VESA	100mm x 100mm
General	
Power supply	DC 12V 2.5A
Consumption	<20 W(on) <0.5 W(Standby)
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~90%
Storage Temperature	-20°C ~ 60°C
Storage Humidity	10%~90%
Dimension (W×H×D)	447 mm × 354.93 mm × 142 mm
Weight	Net Weight:2.12 Kg Cross Weight: 3.2Kg
Accessory	
Standard	VGA cable, Adapter & power cable, Pedestal, Quick Guide

Appearance

Dimensions



Interfaces



Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2017 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.